



# UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE  
United States Patent and Trademark Office  
Address: COMMISSIONER FOR PATENTS  
P.O. Box 1450  
Alexandria, Virginia 22313-1450  
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
09/631,251	08/02/2000	Donald L. Wurch	22171.201(10740RRUS02U)	8412

27683 7590 11/16/2004  
HAYNES AND BOONE, LLP  
901 MAIN STREET, SUITE 3100  
DALLAS, TX 75202

EXAMINER

KLINGER, SCOTT M

ART UNIT PAPER NUMBER

2153

DATE MAILED: 11/16/2004

Please find below and/or attached an Office communication concerning this application or proceeding.

**Office Action Summary**

Application No.

09/631,251

Applicant(s)

WURCH ET AL.

Examiner

Scott M. Klinger

Art Unit

2153

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

**Period for Reply**

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If the period for reply specified above is less than thirty (30) days, a reply within the statutory minimum of thirty (30) days will be considered timely.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

**Status**

- 1) ☒ Responsive to communication(s) filed on 23 August 2004.
- 2a) ☐ This action is **FINAL**. 2b) ☒ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

**Disposition of Claims**

- 4) ☒ Claim(s) 5-30 is/are pending in the application.
- 4a) Of the above claim(s) \_\_\_\_\_ is/are withdrawn from consideration.
- 5) ☐ Claim(s) \_\_\_\_\_ is/are allowed.
- 6) ☒ Claim(s) 5-30 is/are rejected.
- 7) ☐ Claim(s) \_\_\_\_\_ is/are objected to.
- 8) ☐ Claim(s) \_\_\_\_\_ are subject to restriction and/or election requirement.

**Application Papers**

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☐ The drawing(s) filed on \_\_\_\_\_ is/are: a) ☐ accepted or b) ☐ objected to by the Examiner.  
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).  
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

**Priority under 35 U.S.C. § 119**

- 12) ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☐ All b) ☐ Some \* c) ☐ None of:
1. ☐ Certified copies of the priority documents have been received.
  2. ☐ Certified copies of the priority documents have been received in Application No. \_\_\_\_\_.
  3. ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).

\* See the attached detailed Office action for a list of the certified copies not received.

**Attachment(s)**

- |  |   |
|--|---|
| 1) <input checked="" type="checkbox"/> Notice of References Cited (PTO-892)  | 4) <input type="checkbox"/> Interview Summary (PTO-413)<br>Paper No(s)/Mail Date. _____ |
| 2) <input type="checkbox"/> Notice of Draftsperson's Patent Drawing Review (PTO-948)                                   | 5) <input type="checkbox"/> Notice of Informal Patent Application (PTO-152)             |
| 3) <input type="checkbox"/> Information Disclosure Statement(s) (PTO-1449 or PTO/SB/08)<br>Paper No(s)/Mail Date _____ | 6) <input type="checkbox"/> Other: _____  |

## **DETAILED ACTION**

Claims 5-30 are pending.

### ***Response to Arguments***

Applicant's arguments, filed 23 August 2004, with respect to the rejection of claims 5, 11, 17, and 23 under 35 U.S.C. 103(a) as being unpatentable over Vepa in view of Johnston have been fully considered and are persuasive. Therefore, the rejections have been withdrawn. However, upon further consideration, a new ground of rejection is made under 35 U.S.C. 103(a) as being unpatentable over Vepa in view of Jones (see below).

### ***Drawings***

Figures 1 and 2 should be designated by a legend such as --Prior Art-- because only that which is old is illustrated. See MPEP § 608.02(g). Corrected drawings in compliance with 37 CFR 1.121(d) are required in reply to the Office action to avoid abandonment of the application. The replacement sheet(s) should be labeled "Replacement Sheet" in the page header (as per 37 CFR 1.121(d)) so as not to obstruct any portion of the drawing figures. If the changes are not accepted by the examiner, the applicant will be notified and informed of any required corrective action in the next Office action. The objection to the drawings will not be held in abeyance.

### ***Claim Rejections - 35 USC § 101***

Claims 23-26 are rejected under 35 U.S.C. 101 because the claimed invention is directed to non-statutory subject matter. Computer programs claimed as computer listings per se, i.e., the descriptions or expressions of the programs, are not physical "things." They are neither computer components nor statutory processes, as they are not "acts" being performed. Such claimed computer programs do not define any structural and functional interrelationships between the computer program and other claimed elements of a computer which permit the computer program's functionality to be realized. It is suggested that claims 23-26 be amended to either a)

Art Unit: 2153

include the computer program in a process where the computer is executing the computer program's instructions; or b) combine the computer program in conjunction with a physical structure, such as a computer memory.

***Claim Rejections - 35 USC § 112***

The following is a quotation of the first paragraph of 35 U.S.C. 112:

The specification shall contain a written description of the invention, and of the manner and process of making and using it, in such full, clear, concise, and exact terms as to enable any person skilled in the art to which it pertains, or with which it is most nearly connected, to make and use the same and shall set forth the best mode contemplated by the inventor of carrying out his invention.

Claim 5 is rejected under 35 U.S.C. 112, first paragraph, as failing to comply with the written description requirement. The claim contains subject matter which was not described in the specification in such a way as to reasonably convey to one skilled in the relevant art that the inventor(s), at the time the application was filed, had possession of the claimed invention. Newly amended claim 5 states, in part: "*detecting a change in network access technology currently in use by the platform from the first network access technology to a second network access technology.*" Although the specification describes a system that switches between different access technologies the step of detecting a change in the network access technology itself is never disclosed.

***Claim Rejections - 35 USC § 103***

The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negated by the manner in which the invention was made.

Claims 5-8, 10-15, 17-20, and 22-30 are rejected under 35 U.S.C. 103(a) as being unpatentable over Vepa in view of Jones et al. (U.S. Patent Number 6,137,802, hereinafter "Jones").

In referring to claim 5, as understood, Vepa shows substantial features of the claimed invention including:

- Determining an active network adapter (commonly referred to as a Network Interface Card or NIC) by monitoring packet traffic and hardware status of one or more network adapters:

*"The fault tolerance module dynamically adds and removes MAC addresses from the list depending on the status of each NIC", column 14, lines 22-28, "In step 820, the fault tolerance module in the present embodiment determines whether the incoming data packet is a 'keep-alive' data packet. Data packets are typically sent to determine whether the connection between a client computer system and the server computer system is still active. Also, data packets may also be sent to and from the various NICs as a means for determining whether a NIC is active."* (Vepa, col. 13, 32-34)

- The engagement of the active network adapter is invisible to the active network application:

Vepa, Figure 4 shows the Application Layer 310 only communicates with the Network Layer 320, the layers below the Network Layer 320 are invisible to Application Layer 310

- The NAA defines a virtual anchor adapter driver that is known as the only adapter driver: Vepa, Figure 4 shows the Dynamic Access Software Element 330 and Load Balancing Scheme 335 act as a NAA for computer system 190, from the figure it can be seen that the Network Layer 320 is connected to the Load Balancing Scheme 335 and cannot see the plurality of NIC drivers, 340a-340d

- Assigning a predetermined network adapter as a primary network adapter:

It is inherent in a fault tolerance system to have first or primary NIC, to be used initially: claim 1 of Vepa, *"executing a load balancing scheme to specify a first NIC from said plurality of NICs"*

However, Vepa does not explicitly show the network adapters are based on different access technologies. Nonetheless this feature is well known in the art and would have been an obvious modification to the system disclosed by Vepa as evidenced by Jones.

In analogous art, Jones discloses an automatic media switching apparatus and method. Jones, Fig. 4 shows a computer 70 with both wireless hardware 56 and wired hardware 52.

Given these teachings, a person of ordinary skill in the art would have readily recognized the desirability and advantages of modifying the system of Vepa so as to use different access technologies for one or more of the NICs, such as taught by Jones, in order to provide load balancing and fault tolerance for networks that allow connections via multiple network access technologies.

In referring to claim 6, Vepa in view of Jones discloses,

- Initially setting the virtual anchor adaptor driver as the network adapter driver associated with the primary adapter:

It is inherent in a fault tolerance system to associate the adapter with the first or primary NIC

In referring to claim 7, Vepa in view of Jones discloses,

- Changing the hardware source address of outgoing data packets to that of the active network adapter:

*"The media access control (MAC) address that represents the selected NIC is inserted in the outgoing data packet"* (Vepa, col. 4, lines 12-14)

- Changing the hardware destination address of incoming data packets to that of the primary network adapter:

*"a filter that is adapted to mask a portion of a MAC address in an incoming data packet received at a NIC such that the MAC address the incoming data packet is equivalent to the MAC address representing the NIC "* (Vepa, col. 4, lines 48-51)

In referring to claim 8 and 10, Vepa in view of Jones discloses,

- Receiving information from a network adapter about connection or disconnection status:  
*"The fault tolerance module dynamically adds and removes MAC addresses from the list depending on the status of each NIC"* (Vepa, col. 13, 32-34)

---

In referring to claim 11, Vepa shows substantial features of the claimed invention including:

- Utilizing the first network access technology for executing the active network application:

It is inherent in a fault tolerance system to have first or primary NIC, to be used initially: claim 1 of Vepa, *"executing a load balancing scheme to specify a first NIC from said plurality of NICs"*

- Selecting the second network access technology for continuing the active network application without interrupting the network application through a network access arbitrator by arbitrating between the first network adapter driver and the second network adapter driver for sending and receiving information:

By definition a fault tolerance and fail over support scheme is designed to allow the switching from one network interface to another without interrupting the active network application: Vepa claim 2, *"automatically switching from said first NIC to a second NIC when said fault tolerance scheme indicates said first NIC is not available"*

However, Vepa does not explicitly show the network adapters are based on different access technologies. Nonetheless this feature is well known in the art and would have been an obvious modification to the system disclosed by Vepa as evidenced by Jones.

However, Vepa does not explicitly show the network adapters are based on different access technologies. Nonetheless this feature is well known in the art and would have been an obvious modification to the system disclosed by Vepa as evidenced by Jones.

In analogous art, Jones discloses an automatic media switching apparatus and method. Jones, Fig. 4 shows a computer 70 with both wireless hardware 56 and wired hardware 52.

Given these teachings, a person of ordinary skill in the art would have readily recognized the

Art Unit: 2153

desirability and advantages of modifying the system of Vepa so as to use different access technologies for one or more of the NICs, such as taught by Jones, in order to provide load balancing and fault tolerance for networks that allow connections via multiple network access technologies.

In referring to claim 12, Vepa in view of Jones discloses,

- The NAA defines a virtual anchor adapter driver that is known as the only adapter driver: Vepa, Figure 4 shows the Dynamic Access Software Element 330 and Load Balancing Scheme 335 act as a NAA for computer system 190, from the figure it can be seen that the Network Layer 320 is connected to the Load Balancing Scheme 335 and cannot see the plurality of NIC drivers, 340a-340d

In referring to claim 13, Vepa in view of Jones discloses,

- Assigning a predetermined network adapter as a primary network adapter:  
It is inherent in a fault tolerance system to have first or primary NIC, to be used initially: claim 1 of Vepa, *"executing a load balancing scheme to specify a first NIC from said plurality of NICs"*
- Initially setting the virtual anchor adaptor driver as the network adapter driver associated with the primary adapter:  
It is inherent in a fault tolerance system to associate the adapter with the first or primary NIC

In referring to claim 14, Vepa in view of Jones discloses,

- Detecting when the second network adapter driver is active:  
*Vepa, col. 13, 32-34 (see full quote above)*
- Changing the hardware source address of outgoing data packets to that of the active network adapter:  
*Vepa, col. 4, lines 12-14 (see full quote above)*



Art Unit: 2153

- Changing the hardware destination address of incoming data packets to that of the primary network adapter:

*Vepa, col. 4, lines 48-51 (see full quote above)*

In referring to claim 15, Vepa in view of Jones discloses,

- Receiving information from a network adapter about connection or disconnection status:

*Vepa, col. 13, 32-34 (see full quote above)*

---

In referring to claim 17, Vepa shows substantial features of the claimed invention including:

- Determining an active network adapter (commonly referred to as a Network Interface Card or NIC) by monitoring packet traffic and hardware status of one or more network adapters:

*Vepa, col. 13, 32-34)*

- The NAA defines a virtual anchor adapter driver that is known as the only adapter driver: Vepa, Figure 4 shows the Dynamic Access Software Element 330 and Load Balancing Scheme 335 act as a NAA for computer system 190, from the figure it can be seen that the Network Layer 320 is connected to the Load Balancing Scheme 335 and cannot see the plurality of NIC drivers, 340a-340d

- Assigning a predetermined network adapter as a primary network adapter:

It is inherent in a fault tolerance system to have first or primary NIC, to be used initially: claim 1 of Vepa, *"executing a load balancing scheme to specify a first NIC from said plurality of NICs"*

- Selecting the second network access technology for continuing the active network application without interrupting the network application through a network access arbitrator by arbitrating between the first network adapter driver and the second network adapter driver for sending and receiving information:

By definition a fault tolerance and fail over support scheme is designed to allow the switching from one network interface to another without interrupting the active network

application: Vepa claim 2, “*automatically switching from said first NIC to a second NIC when said fault tolerance scheme indicates said first NIC is not available*”

However, Vepa does not explicitly show the network adapters are based on different access technologies. Nonetheless this feature is well known in the art and would have been an obvious modification to the system disclosed by Vepa as evidenced by Jones.

In analogous art, Jones discloses an automatic media switching apparatus and method. Jones, Fig. 4 shows a computer 70 with both wireless hardware 56 and wired hardware 52.

Given these teachings, a person of ordinary skill in the art would have readily recognized the desirability and advantages of modifying the system of Vepa so as to use different access technologies for one or more of the NICs, such as taught by Jones, in order to provide load balancing and fault tolerance for networks that allow connections via multiple network access technologies.

In referring to claim 18, Vepa in view of Jones discloses,

- Initially setting the virtual anchor adaptor driver as the network adapter driver associated with the primary adapter:

It is inherent in a fault tolerance system to associate the adapter with the first or primary NIC

In referring to claim 19, Vepa d in view of Jones discloses,

- Changing the hardware source address of outgoing data packets to that of the active network adapter:

*Vepa, col. 4, lines 12-14 (see full quote above)*

- Changing the hardware destination address of incoming data packets to that of the primary network adapter:

*Vepa, col. 4, lines 48-51 (see full quote above)*

In referring to claim 20, Vepa in view of Jones discloses,

- Receiving information from a network adapter about connection or disconnection status:  
*Vepa, col. 13, 32-34 (see full quote above)*

In referring to claim 22, Vepa in view of Jones discloses,

- Detecting whether the primary network adapter is active:  
*Vepa, col. 13, 32-34 (see full quote above)*

In referring to claim 24, Vepa in view of Jones discloses,

- The NAA defines a virtual anchor adapter driver that is known as the only adapter driver:  
Vepa, Figure 4 shows the Dynamic Access Software Element **330** and Load Balancing Scheme **335** act as a NAA for computer system **190**, from the figure it can be seen that the Network Layer **320** is connected to the Load Balancing Scheme **335** and cannot see the plurality of NIC drivers, **340a-340d**

In referring to claim 25, Vepa in view of Jones discloses,

- Assigning a predetermined network adapter as a primary network adapter:  
It is inherent in a fault tolerance system to have first or primary NIC, to be used initially:  
claim 1 of Vepa, *"executing a load balancing scheme to specify a first NIC from said plurality of NICs"*
- Initially setting the virtual anchor adaptor driver as the network adapter driver associated with the primary adapter:  
It is inherent in a fault tolerance system to associate the adapter with the first or primary NIC

In referring to claim 26, Vepa in view of Jones discloses,

- Changing the hardware source address of outgoing data packets to that of the active network adapter:  
*Vepa, col. 4, lines 12-14 (see full quote above)*
- Changing the hardware destination address of incoming data packets to that of the primary network adapter:

*Vepa, col. 4, lines 48-51 (see full quote above)*

---

In referring to claim 27, Vepa shows substantial features of the claimed invention including:

- Determining an active network adapter by monitoring packet traffic and hardware status of one or more network adapters:

*Vepa, col. 13, 32-34 (see full quote above)*

- Receiving a plurality of data packets from at least one application:

Vepa, Figure 3B shows outgoing data packet 215, from an application

- Dynamically engaging the active network adapter by a NAA disposed between a data link layer and a network layer to process at least some of the data packets, wherein the engagement of the network adapter is transparent to the application if the application is disposed in L3 or higher:

Vepa, Figure 4 shows the NAA (elements 330 and 335) is disposed between the link and network layers. Application layer 310 is shown to be disposed above the network layer (L3). Vepa, Figure 3A shows NIC 108B is dynamically engaged.

However, Vepa does not explicitly show the network adapters are based on different access technologies. Nonetheless this feature is well known in the art and would have been an obvious modification to the system disclosed by Vepa as evidenced by Jones.

In analogous art, Jones discloses an automatic media switching apparatus and method. Jones, Fig. 4 shows a computer 70 with both wireless hardware 56 and wired hardware 52.

Given these teachings, a person of ordinary skill in the art would have readily recognized the desirability and advantages of modifying the system of Vepa so as to use different access technologies for one or more of the NICs, such as taught by Jones, in order to provide load balancing and fault tolerance for networks that allow connections via multiple network access technologies.

In referring to claims 28, Vepa in view of Jones discloses,

- The NAA defines a virtual anchor adapter driver that is known as the only adapter driver:

Vepa, Figure 4 shows the Dynamic Access Software Element 330 and Load Balancing Scheme 335 act as a NAA for computer system 190, from the figure it can be seen that the Network Layer 320 is connected to the Load Balancing Scheme 335 and cannot see the plurality of NIC drivers, 340a-340d

In referring to claims 29, Vepa in view of Jones discloses,

- Assigning a predetermined network adapter as a primary network adapter:

It is inherent in a fault tolerance system to have first or primary NIC, to be used initially: claim 1 of Vepa, *"executing a load balancing scheme to specify a first NIC from said plurality of NICs"*

- Initially setting the virtual anchor adaptor driver as the network adapter driver associated with the primary adapter:

It is inherent in a fault tolerance system to associate the adapter with the first or primary NIC

In referring to claim 30, Vepa in view of Jones discloses,

- Changing the hardware source address of outgoing data packets to that of the active network adapter:

*"The media access control (MAC) address that represents the selected NIC is inserted in the outgoing data packet"* (Vepa, col. 4, lines 12-14)

- Changing the hardware destination address of incoming data packets to that of the primary network adapter:

*"a filter that is adapted to mask a portion of a MAC address in an incoming data packet received at a NIC such that the MAC address the incoming data packet is equivalent to the MAC address representing the NIC"* (Vepa, col. 4, lines 48-51)

-----

Claims 9, 16, and 21, are rejected under 35 U.S.C. 103(a) as being unpatentable over Vepa in view of Jones and in further in view of Latif et al. (U.S. Patent Number 6,393,483, hereinafter "Latif"). Although Vepa in view of Jones shows substantial features of the claimed invention, Vepa in view of Jones does not show the step of providing a timer to trigger a timed event, and determining whether at least one adapter receives or sends packets during two consecutive timed events, to determine if the adapter is active. Nonetheless this feature is well known in the art and would have been an obvious addition to the system disclosed by Vepa in view of Jones as evidenced by Latif.

In analogous art, Latif discloses a method and apparatus for network interface card load balancing and port aggregation. Latif shows determining if a port on a NIC is active using timed events: *"When the link check timer routine is performed again after the predetermined timeout, the smart NIC driver 126 will proceed to decision operation 1004 where it will be determined that the primary Rx port P1 is again active as shown in Table D below. As such, the primary Rx port will be once again designated as the receiver as described in operation 1014, after it is determined that the primary Rx port was not the receiver in operation 1010, and shown in Table C above"* (Latif, col. 15, lines 31-39)

Given these teachings, a person of ordinary skill in the art would have readily recognized the desirability and advantages of modifying the fault tolerance scheme of Vepa in view of Jones so as to use timeouts, such as taught by Latif, in order to check if a NIC is active.

### ***Conclusion***

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Scott M. Klinger whose telephone number is (703) 305-8285. The examiner can normally be reached on M-F 7:00am - 3:30pm.


If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Glenn Burgess can be reached on (703) 305-4792. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Art Unit: 2153

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

Scott M. Klinger  
Examiner  
Art Unit 2153

smk



ANTON B. PURDISS  
SUPERVISORY PATENT EXAMINER  
TECHNOLOGY CENTER 2100